

Product Name =

INTERIOR LED DISPLAYS - Option 1 of 12

Website Ref =

LEDCOMPLETE1

Displays:

Left Section:

"Double LED's"
A3L + A4P LED
4x LED's
Supported on 2x Cables

Central Section:

"Triple LED's"
A4P + A4P + A4P
2x LED's
Supported on 2x Cables

Right Section:

"Double LED's"
A3L + A4P LED
4x LED's
Supported on 2x Cables



*All of this display is supported on cables - ceiling anchorage is vital - and, each column has its own UK Power Transformer
Hence - when fully fitted - you will have 3x UK Plugs - so, 3x sockets are required for this display*

Product Name = **INTERIOR LED DISPLAYS - Option 1 of 12**
 Website Ref = **LEDCOMPLETE1**

Left Section:	Double LED's
"Double LED's" A3L + A4P LED 4x LED's Supported on 2x Cables	Cable-to-LED-to-Cable width is = 660mm Also Each LED is Double-sided Each LED also has Magnetic-Frontal-Strips (allows for easy document changes)

Central Section:	Triple LED's
"Triple LED's" A4P + A4P + A4P 2x LED's Supported on 2x Cables	Cable-to-LED-to-Cable width is = 660mm

Right Section:	Double LED's
"Double LED's" A3L + A4P LED 4x LED's Supported on 2x Cables	Cable-to-LED-to-Cable width is = 660mm

Will they fit your own window?
 Assuming you leave a gap on both far sides of = W50mm (each side)
 Assuming you leave a recommended gap in-between each display of = W150mm
 Then, 50 + 660 + 150 + 660 + 150 + 660 + 50 = You will need W2380mm
 Measurements are not precise, they are as a guidance!

Fitting Instructions:

- Step 1 *Decide where the first cable is to be fitted*
 Action - Connect this cable to your ceiling
- Step 2 *Before connecting the 2nd Cable*
 Action = Measure the true gap on the LED
- Step 3 *Got the true measurement?*
 Action = Now fit your 2nd cable to your ceiling
- Step 4 *Action = Now add all the LED's between the cables*
 (Using the 4x LED inbuilt corner grippers)
- Step 5 *Now for the cable bottoms*
 Action = Plumb the cable and mark with a pencil
 Action = Connect the bottom holders to your floor
 Action = Calculate the wasted cable that needs cutting
 Tip - touch floor with cable - then, cut cable excess
 Action = Now fit the cable to the bottom holder
 Repeat above again and again, each time making cuts
- Step 6 *At this point all cables and LED's are fitted*
- Step 7 *Now for the UK Power Transformer*
 Tip - If possible add to the ceiling area
 Action = Connect the positive and negative wires
 Action - Check all - then, power up - that's it

Product Name =

INTERIOR LED DISPLAYS - Option 1 of 12

Website Ref =

LEDCOMPLETE1

Easy Document Changes

*The front frame has a magnetic-pull-down-strip
This allows the end-user to simply de-magnetise
Then, add document(s) then, re-magnetise
Hence - takes seconds to make changes*



Back-Lit Paper / Film

If you are also wanting

Back-Lit Paper

*Open our website -
www.estateagentsupplies.co.uk
Search for - Website Ref: - PAPER*



Back-Lit Film

*Open our website -
www.estateagentsupplies.co.uk
Search for - Website Ref: - FILM*